



UNITED STATES PATENT AND TRADEMARK OFFICE

TH
UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/758,759

01/15/2004

Jonathan N. Payne

NSC1P292/P05784

6398

22434 7590 06/08/2007
BEYER WEAVER LLP
P.O. BOX 70250
OAKLAND, CA 94612-0250

EXAMINER

BLEVINS, JERRY M

ART UNIT

PAPER NUMBER

2883

MAIL DATE

DELIVERY MODE

06/08/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/758,759

Applicant(s)

PAYNE, JONATHAN N.

Examiner

Jerry Martin Blevins

Art Unit

2883

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 May 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 16, 2007 has been entered.

Response to Arguments

Applicant's arguments filed May 16, 2007 have been fully considered but they are not persuasive.

Regarding applicant's argument that applied prior art reference to Sugama et al., US 2002/0118907, fails to teach a patterned top cladding, examiner contends that Sugama teaches that top cladding 27 is patterned in the sense that it is not uniform, due to the presence of groove 20, as shown in Figures 16G and 16H.

Regarding applicant's argument that Sugama fails to teach that a substantial portion of the plurality of lenses are exposed to ambient air, examiner contends that the teachings of Sugama reveal that a substantial portion of lenses 36 are exposed to ambient air due to air present in adjacent groove 35, as shown in Figure 23.

Regarding applicant's argument that Sugama fails to teach a core channel having a curved path, examiner contends that Sugama teaches in paragraph 172 that the core channels are bent, which implies some measure of curvature. Applicants own disclosure, page 8, indicates that a curved section can follow a turn of approximately 90 degrees, so the teaching of Sugama that the bend is nearly perpendicular does not preclude its consideration as a curved section. Applicant's referral to the teaching that the wiring of Sugama is orthogonal to each other on different layers is erroneous, as this teaching is specifically related to Figure 13. The different layers can easily be seen by the dotted lines of wires 12, which lie on a plane below wires 13. However, this is not the case in Figure 14, which has been relied upon in the rejection of the claims. Figure 14 shows wires 12 and 13 bent in the same plane to form a curved section at the point of bending.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 5-12, 14-20, and 22-24 are rejected under 35 U.S.C. 102(b) as being anticipated by US Pre Grant Publication to Sugama et al., number 2002/0118907.

Regarding claim 1, Sugama teaches a waveguide system comprising a bottom cladding layer (22); a plurality of core channels (23) suitable for optical transmission

formed on top of the bottom cladding layer; a patterned top cladding layer (27, specifically Figures 16G and 16H) formed on top of both the bottom cladding layer and the core channels such that the core channels are sandwiched between the bottom and the top cladding layer; and a plurality of lenses (Figure 12, elements 4) formed on the bottom cladding layer and positioned in the optical path of the plurality of the core channels respectively, wherein the patterned top cladding layer is patterned so that a substantial portion of each of the plurality of optical lenses are exposed to ambient air (Figure 23).

Regarding claim 2, Sugama teaches the limitations of the base claim 1. Sugama also teaches that the plurality of optical lenses are spaced from the ends of the core channels so that the ambient air is provided between the ends of the core channels and the plurality of optical lenses (Figures 10 and 12).

Regarding claim 18, Sugama teaches an apparatus, comprising: a light source (inherently present in the apparatus described below given that light is present to be transmitted, received, and detected), a multi-channel transmission waveguide coupled to receive light from the light source, the transmission waveguide producing a set of beams by guiding the light received from the light source so that the set of light beams emanate from the transmission waveguide in a first direction (Figures 11 and 16 and paragraph 59, page 4); a multi-channel reception waveguide spaced apart from the transmission waveguide in the first direction, the reception waveguide receiving the set of light beams emanating from the transmission waveguide (Figures 11 and 16 and paragraph 59, page 4); wherein the transmission and the reception waveguide are each

Art Unit: 2883

formed of at least, a bottom cladding layer (21); a plurality of core channels (23) suitable for optical transmission formed on top of the bottom cladding layer, each of the core channels having a first end and a second end; and a patterned top cladding layer (27, specifically Figures 16G and 16H) formed on top of both the bottom cladding layer and the core channels such that the core channels are sandwiched between the bottom and the patterned top cladding layer; a plurality of optical lenses (Figure 12, elements 4) formed on the bottom cladding layer and positioned in the optical path of the plurality of the core channels respectively, wherein the patterned top cladding layer is patterned so that a substantial portion of each of the plurality of optical lenses are exposed to ambient air (Figure 23); and a light detector (paragraph 295, page 14) optically coupled to the reception waveguide to receive light from the reception waveguide, the light detector including a plurality of light detecting elements that detect light intensity of the light from the reception waveguide (Figures 42D and 43C indicate a photodetector (83) for each of a multiple number of access holes).

Regarding claims 3 and 20, Sugama teaches the limitations of the base claims 1 and 18, respectively. Sugama also teaches that at least some of the core channels have a curved section wherein a lengthwise portion of a respective core channel follows a curved path (Figure 14), and where in the patterned top cladding layer has at least one curve opening (16) that exposes the curved section of the core channel to the ambient air.

Regarding claim 12, Sugama teaches a waveguide system comprising a bottom cladding layer (21); a core channel (23) having a curved section which follows a curved

path (Figure 14); and a selectively patterned top cladding layer (27) formed on top of both the bottom cladding layer and the core channels such that the core channel is sandwiched between the bottom and the top cladding layer, wherein the top cladding layer is selectively patterned to have at least one opening (16) that exposes the curved section of the core channel to the ambient air so that a radius of the curved section is smaller than otherwise possible the top cladding layer covers the curved section (Figure 14).

Regarding claims 5 and 14, Sugama teaches the limitations of the base claims 3 and 12, respectively. Sugama also teaches that the curve opening exposes a curved section of more than one core channel (Figure 14).

Regarding claim 6, Sugama teaches the limitations of the base claim 3. Sugama also teaches that the shape of the curve opening conforms to the curved path of the curved section of a respective core channel (Figure 14).

Regarding claims 7, 15, and 22, Sugama teaches the limitations of the base claims 3, 12, and 20, respectively. Sugama also teaches that the curved path of the curved section of the core channel follows a turn of approximately 90 degrees or more (Figure 14).

Regarding claims 8, 16, and 23, Sugama teaches the limitations of the base claims 1, 12, and 18, respectively. Sugama also teaches that the patterned top cladding layer has at least one access via (Figure 26, elements 34, 35) that exposes the core channel to the ambient air, whereby the access via provides access for optical communication with the exposed core channel.

Regarding claims 9, 17, and 24, Sugama teaches the limitations of the base claims 8, 16, and 23, respectively. Sugama also teaches an external optical device (lens 36, Figure 23) placed proximate to the access via (34) such that the external optical device is in optical communication with the exposed core channel.

Regarding claim 10, Sugama teaches the limitations of the base claim 8. Sugama also teaches that the access via exposes a plurality of core channels to the ambient air, whereby the access via provides access for optical communication with the exposed core channels (Figure 26 teaches several exposed core channels).

Regarding claim 11, Sugama teaches the limitations of the base claim 1. Sugama also teaches that the core channels are formed of a polymer material (page 12, paragraph 247).

Regarding claim 19, Sugama teaches the limitations of the base claim 18. Sugama also teaches that the apparatus is an input device for an electronic device (wiring substrate, throughout), and wherein the input area is produced between the transmission waveguide and the reception waveguide (Figure 11).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 4, 13, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sugama in view of US Patent to Nakamura et al., number 5,604,835.

Regarding claims 4, 13, and 21, Sugama teaches the limitations of the base claims 3, 12, and 20, respectively. Sugama also teaches that the index of refraction of the core channels is greater than the index of refraction of the bottom cladding layer and of the ambient air (page 8, paragraph 156). Furthermore, Sugama teaches that the index of refraction of the core channels is at least 0.3 greater than the index of refraction of the ambient air (page 8, paragraph 156). Sugama does not teach that the index of refraction of the core channels is at least 0.3 greater than the index of refraction of the bottom cladding layer. Nakamura teaches a waveguide system (apparatus) wherein the index of refraction of the core material is at least 0.3 greater than the index of refraction of the cladding material (column 5, lines 11-15). Furthermore, Nakamura teaches a core material with index of refraction at least 0.3 greater than the index of refraction of the bottom cladding layer of Sugama (Nakamura, column 5, lines 11-15, Sugama, page 8, paragraph 156). It would have been obvious to one of ordinary skill in the art at the time of the invention to include the core material of Nakamura in the waveguide system

Art Unit: 2883

(apparatus) of Sugama. The motivation would have been to improve the confinement of light in the core channels.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerry Martin Blevins whose telephone number is 571-272-8581. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on 571-272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JMB



Frank G. Font
Supervisory Patent Examiner
Technology Center 2800